



ENDOCAM® Logic HD

The Future is Logic

# Planning for the Future

## **True High-Definition**

The ENDOCAM® Logic HD camera platform features three unique high definition camera heads that can all be connected to a single control unit.













## **Sustainable Technology**

Install software updates directly onto the ENDOCAM® Logic HD via its built in USB port. Guaranteed upgrade capability enables adaptation with future advances in video technology.





## **User-Friendly Interface**

A built-in touch-screen paired with smart menu navigation offers intuitive control and quick setting changes.

## **Exceptional Flexibility**


The ENDOCAM® Logic HD integrates with 3-CCD, 1-CCD and C-MOS digital sensor technologies addressing all surgical applications.

## **Complete Solution**


The ENDOCAM® Logic HD platform is enhanced by smart LED light sources and 1080p HD monitors.

# **Convenience and Versatility**

The ENDOCAM® Logic HD is equipped with nine pre-set surgical applications that have been field tested to deliver vivid, clear images for endoscopic specialties such as Urology, Gynecology, Thoracoscopy, ENT, and Laparoscopy. The ENDOCAM Logic HD is also able to store multiple customized user profiles.







## The System of the Future

**Richard Wolf's HD camera heads** each have two programmable push-buttons that enable the physician to control up to four functions directly from the camera head. In addition, the 3-CCD and 1-CCD camera heads are fully autoclavable for durability and lower cost of ownership.







# Raising the Bar on the Digital OR - core nova







With *core nova*, the entire operating room is at your fingertips. The ENDOCAM® Logic HD can serve as the ideal data source for your entire integrated operating room. For more detailed information on *core nova* and its capabilities, please contact your local Richard Wolf representative or call (800) 323-WOLF.

#### **ENDOLIGHT LED 2.2**






#### **Dialog Technology**

With Richard Wolf's *dialog* technology, the ENDOCAM® Logic HD camera communicates with the light source and automatically adjusts the light intensity to an ideal level. Standby mode can also be activated directly from the camera head.

# **System Overview**



### **Unrestricted flexibility**

- 2x HDMI outputs
- Unique SDI / HD-SDI / 3G-SDI output module for transmission of 1080p
- PIP = Picture-in-Picture input (3G-SDI)

## **RIWOmobil**



spirit of excellence



**The RIWOmobil is the intelligent choice** for today's busy OR. With all the carrying capacity of a standard cart, the RIWOmobil boasts a smaller footprint and a new, sleek design.

#### Additional features include:

- Two dual-lock function castors (direction lock & brake)
- Up to two CO<sub>2</sub> tank holders
- Adjustable shelving and lockable storage drawer

# 1011-06.04-0117USA Technical specifications subject to change without notice.

# **Ordering Information**



spirit of excellence

9	ENDOCAM® Logic HD Controller Set		), 71)
Rworf	3-CCD HD Camera Head, Autoclavable		85525922
	1-CCD HD Camera Head, Autoclavable		85525902
	Pendual® HD Camera with Integrated Coupler, STERRAD®		5525933
	For universal use	RIWO Zoom Lens, with C-Mount thread and snap-on lock, disinfectable and autoclavable, f = 13–29 mm, optimized for 1/3" image sensors	. 85261504
	Use for endoscopes with $\emptyset \ge 7$ mm	RIWO Lens, with C-Mount thread and snap-on lock, disinfectable and autoclavable, f = 24 mm, optimized for 1/3" image sensors	85261244
	Use for endoscopes with Ø < 7 mm	RIWO Lens, with C-Mount thread and snap-on lock, disinfectable and autoclavable, f = 14 mm, optimized for 1/3" image sensors	85261144
	ENDOLIGHT® LED 2.2 Set		
	RIWOmobil OR Cart Side Arm (optional)		
	Additional Components:  Medical Grade USB Keyboard		5365.855
	27" Full HD Medical Monitor		53706275